Source: Legal > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility, Design and Plant Patents

Terms: patno=6030308 (Edit Search)

128705 (00) 6030308 February 29, 2000

UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT

6030308

◆ GET 1st DRAWING SHEET OF 10 Access PDF of Official Patent *

Check for Patent Family Report PDF availability *

* Note: A transactional charge will be incurred for downloading an Official Patent or Patent Family Report. Your acceptance of this charge occurs in a later step in your session. The transactional charge for downloading is outside of customer subscriptions; it is not included in any flat rate packages.

Link to Claims Section

February 29, 2000

Adjustable endless belt for use in power transmission and apparatus and methods for forming belt

INVENTOR: Beck, Paul, 21660 Pacific Coast Malibu, CA 90265

APPL-NO: 128705 (00)

FILED-DATE: August 4, 1998

GRANTED-DATE: February 29, 2000

CORE TERMS: belt, ribbon, adhesive, channel, reinforcing, roller, drive, slit, gear, fiber ...

ENGLISH-ABST:

An endless belt particularly adapted for use in high speed power transmission, commonly termed a fan belt, which is particularly adapted to be readily formed on site to any desired length and methods and apparatus for forming the belt. The belt is comprised of an outer length of flexible tear-resistant material having abutting ends so as to form a closed loop and defining an endless channel extending longitudinally therethrough. An inelastic ribbon of flexible tear- resistant material is disposed within the channel and extends about the loop defined by the outer length of material such that the ribbon extends across the abutting ends of the outer length of material and the ends of the reinforcing ribbon are in an abutting relationship within the channel at a location substantially diametrically opposed across the formed loop from the abutting ends of the outer length of material. An adhesive is disposed within the channel about the reinforcing ribbon securing the ribbon to the outer length of material so as to maintain the outer length of material in a closed loop configuration of predetermined size.

Source: Legal > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility, Design and Plant

Patents []

Terms: patno=6030308 (Edit Search)

View: Custom

Segments: Abst, Appl-no, English-abst, Filed-date, Granted-date, Inventor

Date/Time: Thursday, July 29, 2004 - 11:08 AM EDT

faknt, prudemarke Oppplest Posial Cals Comberdel

No Documents Found!

No documents were found for your search (6030308 OR 6,030,308). Please edit your search and try again. You may want to try one or more of the following:

- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

About LexisNexis | Terms and Conditions

Copyright © 2004 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

Page 1 of 1
Page 1

No Documents Found!

No documents were found for your search (6030308 OR 6,030,308). Please edit your search and try again. You may want to try one or more of the following:

- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

About LexisNexis | Terms and Conditions

Copyright © 2004 LexisNexis, a division of Reed Elsevier Inc. All rights reserved.

Query/Command: US6030308/PN

1 / 1 PLUSPAT - @OUESTEL-ORBIT - image

```
Patent Number :
 US6030308 A 20000229 [US6030308]
Title :
  (A) Adjustable endless belt for use in power transmission and apparatus
 and methods for forming belt
Inventor(s):
  (A) BECK PAUL (US)
Application Nbr :
 US12870598 19980804 [1998US-0128705]
Filing Details :
 C.I.P. of US863392 19970527 [1997US-0863392]
 C.I.P. of US574845 19951219 [1995US-0574845]
 Continuation-in-part of: US5788595
 Continuation-in-part of: US5632700
Priority Details :
 US12870598 19980804 [1998US-0128705]
 US86339297 19970527 [1997US-0863392]
 US57484595 19951219 [1995US-0574845]
Intl Patent Class :
  (A) F16G-003/10
EPO ECLA Class :
 B29D-029/10B
 F16G-003/10
 F16G-003/16
 F16G-005/06
 F16G-005/16
 F16G-007/00
US Patent Class :
 ORIGINAL (O): 474254000; CROSS-REFERENCE (X): 474264000 474268000
Document Type :
  Corresponding document
Citations :
  USRe33389; US4637810; US5129866; US5176583
Publication Stage :
  (A) United States patent
Abstract :
 An endless belt particularly adapted for use in high speed power
  transmission, commonly termed a fan belt, which is particularly adapted
  to be readily formed on site to any desired length and methods and
  apparatus for forming the belt. The belt is comprised of an outer length
  of flexible tear-resistant material having abutting ends so as to form
  a closed loop and defining an endless channel extending longitudinally
  therethrough. An inelastic ribbon of flexible tear-resistant material is
  disposed within the channel and extends about the loop defined by the
  outer length of material such that the ribbon extends across the
  abutting ends of the outer length of material and the ends of the
  reinforcing ribbon are in an abutting relationship within the channel at
  a location substantially diametrically opposed across the formed loop
  from the abutting ends of the outer length of material. An adhesive is
  disposed within the channel about the reinforcing ribbon securing the
  ribbon to the outer length of material so as to maintain the outer
  length of material in a closed loop configuration of predetermined
  size.
Update Code :
```

```
1 / 1 CRXX - @CLAIMS/RRX
Patent Number :
 6,030,308 A 20000229 [US6030308]
Patent Assignee :
 Beck, Paul
Actions :
  20020227 REISSUE REQUESTED
  ISSUE DATE OF O.G.: 20020521
  REISSUE REQUEST NUMBER: 10/086158
  EXAMINATION GROUP RESPONSIBLE FOR REISSUEPROCESS: 3672
  Reissue Patent Number:
1 / 1 INPADOC - @INPADOC
Patent Number :
 US 6030308 A 20000229 [US6030308]
Title :
 ADJUSTABLE ENDLESS BELT FOR USE IN POWER TRANSMISSION AND APPARATUS AND
 METHODS FOR FORMING BELT
Inventor(s):
 BECK PAUL [US]
Patent Assignee (Words) :
 BECK PAUL [US]
Application Details :
 US 128705/98-A 19980804 [1998US-0128705]
Priority Details :
 US 128705/98-A 19980804 [1998US-0128705]
  US 863392/97-A2 19970527 [1997US-0863392]
 US 574845/95-A2 19951219 [1995US-0574845]
Intl. Patent Class. :
  F16G-003/10
```